



Product shown: TH-100

High Heat Output



Firebrick lined stoves increase heat retention & appliance lifespan

Non-Catalytic Secondary Burn



Hassle free burn tubes produces less ash & needs less maintenance

High Quality Materials



Premium steel and cast iron = longer product life and heat retention

Large Viewing Windows



Large windows provide radiant heat and pleasing aesthetics

WOOD STOVES

Freestanding · Inserts



TH-100 HEATS UP TO 750 SQ. FT.





Up to 26,000 BTU's

Up to 11" log length

6" Flue pipe diameter

Optional blower - CB36

Mobile Home Approved with Fresh Air Kit - 4FAK



US1269E HEATS UP TO 900 SQ. FT.





Up to 54,000 BTU's

Up to 19" log length

6" Flue pipe diameter

Built in cook top

Cast Iron construction

US1261E HEATS UP TO 900 SQ. FT.





Up to 54,000 BTU's

Up to 19" log length

6" Flue pipe diameter

Built in cook top

Cast Iron construction

*Optional side tables available (US1261DST)

AW1120E-P HEATS UP TO 1,200 SQ. FT.



Up to 68,000 BTU's

Up to 18" log length

6" Flue pipe diameter

Optional blower - CB36

Mobile Home Approved with Fresh Air Kit - 4FAK

WOOD STOVES

Freestanding · Inserts



AW1820E HEATS UP TO 1,200 SQ. FT.



Up to 69,000 BTU's

Up to 18" log length

6" Flue pipe diameter

150 CFM Blower included

Wood insert designed for masonry fire places only

AW2020-P HEATS UP TO 2,000 SQ. FT.



Up to 89,000 BTU's

Up to 21" log length

6" Flue pipe diameter

Optional blower - CB36

Mobile Home Approved with Fresh Air Kit - 4FAK

AW2520E-P HEATS UP TO 2,500 SQ. FT.



Up to 112,800 BTU's

Up to 21" Log length

6" Flue pipe diameter

Optional blower - CB36

Mobile Home Approved with Fresh Air Kit - 4FAK

AW3200E-P HEATS UP TO 3,200 SQ. FT.



Up to 152,000 BTU's

Up to 22" log length

6" Flue pipe diameter

Blower included

Mobile Home Approved with Fresh Air Kit - 4FAK



Product shown: AP5622

Key Category Features

Remote Operation



Select models include Wi-Fi + Bluetooth technology

High Efficiency Burn Pots



Increases the airflow and heat output

Ceramic Glass



High heat tolerance glass increases efficiency & enhances aesthetics

PID Technology




Stove automatically maintains desired temperature by feeding/restricting fuel * Select stoves only



Built in Wi-Fi + Bluetooth Connection




Download our app for Android or iPhone



Easily connect to multiple devices



Adjust your stove from anywhere



Easily access manuals and register your product



PELLET STOVES

Freestanding · Inserts · Wall Mount



AP5613-W HEATS UP TO 1,300 SQ. FT.



30% TAX

AP5617-WHEATS UP TO 1,700 SQ. FT.



AP5622-W HEATS UP TO 2,200 SQ. FT.



AP5780E HEATS UP TO 2,200 SQ. FT.



PELLET STOVES

Freestanding · Inserts · Wall Mount







Up to 40,000 BTU's

60 lb. hopper

Up to 36 hour burn time

Patented gravity fed, non-electric pellet stove design

Silent operation

Mobile Home approved with the optional fresh air kit - 69FAK

AP5660 HEATS UP TO 2,200 SQ. FT.



Up to 48,000 BTU's

45 lb. hopper

Up to 30 hour burn time

Ash pan included

Remote control includ

Mobile Home approved with the optional fresh air kit - 69FAK

5040 HEATS UP TO 1,800 SQ. FT.



Up to 40,000 BTU's

45 lb. hopper

Up to 45 hour burn time

Blower included

Mobile Home approved use of the optional fresh air kit - 69FAK

5040I HEATS UP TO 1,800 SQ. FT.



Up to 40,000 BTU's

45 lb. hopper

Up to 45 hour burn time

Blower included

Mobile Home approved use of the optional fresh air kit - 69FAK

PELLET STOVES

Freestanding • Inserts • Wall Mount



6041 HEATS UP TO 2,000 SQ. FT.



Up to 52,000 BTU's

60 lb. hopper

Up to 36 hour burn time (pellets)

Up to 25 hour burn time (corn)

Multi-Fuel capable

Mobile Home approved use of the optional fresh air kit - 69FAK

6041 HEATS UP TO 2,000 SQ. FT.



Up to 52,000 BTU's

60 lb. hopper

Up to 36 hour burn time (pellets)

Up to 25 hour burn time (corn)

Multi-Fuel capable

Mobile Home approved with the optional fresh air kit - 69FAK

AP5000 HEATS UP TO 1,000 SQ. FT.





Up to 12,000 BTU's

28 lb. hopper

Up to 35 hour burn time

Patented design for wall mounting to save floor space

Complete venting kit included

Mobile home approved

PELLET STOVE ACCESSORIES

AV15E ASH VACCUM



3 layer fine dust filter with mesh cage

Plastic crevice tool

3.25 foot suction hose with 8 inch aluminium wand

Darcon pre filter bag

AVPK replacements filter & parts kit available



Heavy Duty Construction



For longer life and a more complete combustion

Less Maintenance



Accessible access points for easy maintenance

Large Capacity



Long burn times with fewer refuels

Steady Heat Output



Non-catalytic, operating system that is thermostatically controlled

COAL STOVES & CIRCULATORS

Wood Burning · Coal Burning



1869 HEATS UP TO 1,500 SQ. FT.



Up to 80,000 BTU's

40 lb. Coal capacity

8" Cook top

Cool touch spring handle

Draft controls on feed and ash doors

Coal burning only

SR57EHEATS UP TO 1,000 SQ. FT.



Up to 60,000 BTU's

0.75 Cu. Ft. firebox

Four 8" Cook tops

Features a cast iron shaker grate and large ash pan for easy ash removal

Coal burning only

AW40 HEATS UP TO 2,000 SQ. FT.





Up to 93,000 BTU's

21" Log capacity

Blower included

Firebrick lined

6" Flue pipe diameter

Top opens to expose cooking surface

Wood burning only

BCAC HEATS UP TO 2,000 SQ. FT.



Up to 110,000 BTU's

60 lb. Coal capacity

Shaker grates

Optional blower - CB36

6" Flue pipe diameter

Top opens to expose cooking surface

Coal burning only



Superior Heat Output



Outputs up to 25% more heat than the competitors

Whole Home Coverage



Can heat up to 3,500 sq. ft. using existing HVAC system

Heating Efficiency



Dual CFM 500 blowers provide more efficient and consistent heating

FURNACES

Wood Burning · Coal Burning



1500 **HEATS UP TO 2,500 SQ. FT.**



Up to 139,000 BTU's

6" Flue pipe diameter

Dual 8" diameter heat outlets

Dual 500 CFM Blowers

Removable/replaceable shaker grates with handle included

HB1520 HEATS UP TO 3,500 SQ. FT.



HEIGH 45°

Up to 180,000 BTU's

6" Flue pipe diameter

Accepts up to 23" logs

Dual 550 CFM Blowers

Dual 8" diameter heat outlets

COAL FURNACE ACCESSORIES

1508 **ASH BUCKET**



6 gallon capacity

Tight fitting lid with handle

Safe removal and storage of ashes

Darcon pre filter bag

Safe removal and storage of ashes

WOOD FURNACE ACCESSORIES

USLRK LOG RACK BRACKET KIT



Heavy duty steel construction

Includes 4 brackets to create your own log rack

For use with 2x4 lumber (not included)



Product shown: DVAG8

Key Category Features

Sealed Combustion



Fresh air intake creates a safe and efficient combustion system

No Electricity Required



Matchless piezo ignition & top mounted controls requires no electricity

Clean Burning



Produces less emissions compared to wood burning appliances

Vent Kit Included



Complete venting kit included for easy installation

Direct Vent Gas Heaters

Dual Fuel · Propane · Natural Gas



DVAG8
HEATS UP T

HEATS UP TO 300 SQ. FT. SINGLE FUEL ONLY



Up to 5,700 BTU's

Sealed combustion system

Matchless piezo ignition

Venting kit included

Fuel Tupe Model Numbers:

DVAG8L: Propane DVAG8N: Natural Gas

DVAG11

HEATS UP TO 375 SQ. FT. DUAL & SINGLE FUEL AVAILABLE



Up to 11,000 BTU's

Sealed combustion system

Matchless piezo ignition

Venting kit included

Fuel Tupe Model Numbers:

DVAG11L: Propane
DVAG11N: Natural Gas
DVAG11-DF: Dual Fuel **NEW**

DVAG17

HEATS UP TO 570 SQ. FT. DUAL & SINGLE FUEL AVAILABLE



Fuel Tupe Model Numbers:

Venting kit included

DVAG17L: Propane DVAG17N: Natural Gas DVAG17-DF: Dual Fuel **NEW**

DVAG25/DVAG30

HEATS UP TO 850 SQ. FT. DUAL & SINGLE FUEL AVAILABLE



Up to 25,000 BTU's

Sealed combustion system

Matchless piezo ignition

Venting kit included

Fuel Tupe Model Numbers:

DVAG30L: Propane DVAG30N: Natural Gas DVAG25-DF: Dual Fuel **NEW**



AGVF340LP HEATS UP TO 1,200 SQ. FT.

AGVF340N HEATS UP TO 1,200 SQ. FT.







Why choose Ashley for your heating needs?



For 150+ years, we've been America's go-to for reliable and high quality heating solutions.



With an average tenure of 10 years, our experienced staff offer customers lasting support and industry expertise.



We pride ourselves on innovation and quality products, ensuring all standards are met at our corporate HQ in South Pittsburg, TN.



Our company strives for operational excellence and leads the way in logistics, and supply chain management.





Performance



Exceptional heat performance for comfortable outdoor warmth

Sustainability



Utilizes renewable resources for fuel.

Portability



CCS14 Carry Bag

Easily move and position where warmth is needed.

Easy Setup



Easily create warmth without complex tools.

OUTDOOR LIVING

Firepits · Camp Stoves · Barrel Stove Kit









Secondary combustion system

Fits up to 17" logs

Patented burner allows for longer burn times

Included custom ash shovel for easy clean up (model USSLP-AT)

USSLP31 31" SMOKELESS FIREPIT





Secondary combustion system

Fits up to 25" logs

Patented burner allows for longer burn times

Included custom ash shovel for easy clean up (model USSLP-AT)

BSK1000 CAMP STOVE KIT



Heavy duty cast iron

6 In. flue pipe diameter

Light weight and portable

Fits 55-gallon steel drum

Camp stove - not for residential use

BKAD500 Adapter kit available

Steel Drum Sold Separately: Model Number DR55

CCS14 & CCS18 PORTABLE CAMP STOVE

6.2 Ft. Chimney Height

Heavy duty steel construction

Flat top surface provides cooking area

2 Multi-Purpose shelf/drying rack

Includes carry bag, flue brush, & damper tool

Not for residential use



CCS14: Fits up to 13" logs Dimensions: 15.6"H x 14"D x 10.8"W (17 lbs)

CCS18: Fits up to 16.5" logs Dimensions: 16.5"H x 18"D x 13.8"W (21 lbs)



Product shown: MH4

Key Category Features

Built to Last



Crafted with high-quality materials and precision engineering

Tried and True



All Parts & Accessories are compatibility-tested for a perfect fit

Consistent Performance



USSC parts and accessories ensure consistent, reliable performance

1 Year Warranty



All of our parts come with a 1 Year Limited Warranty

PARTS & ACCESSORIES

Firebrick · Dampers · Grates · Fans · Steamers · Blowers



MH4
MIRACLE HEAT FAN



Thermoelectric fan powered by heat from stove

High quality anodized extruded aluminium material

Operating temperature range: 140°F (60°C) - 644°F (340°C)

Silent operation

Evenly distributes heat

FBP6 FIREBRICK (6 PACK)



Increases efficiency

Can be used in any brand of wood or coal stove that uses this standard sized brick

Also great for use in fire pits, smokers, etc

Standard size firebrick 4-1/2 in. x 9 in. x 1-1/4 in

*Compatible with all wood stoves and furnaces

D6 & D8 STOVE DAMPER



Made from heavy cast iron Genuine USSC parts Easy installation REPLACEMENT GRATES MODELS: G26, 55G, G42, G15



All cast iron for years of use

Raises wood for better combustion

Helps air circulate underneath the wood to feed the fire

Improves burn cycle

*Not for use in EPA certified wood stoves

PARTS & ACCESSORIES

Firebrick · Dampers · Grates · Fans · Steamers · Blowers



CS-01 CHICKEN STEAMER



Steaming hot water adds humidity in the room

All cast iron construction for years of service

One (1) quart capacity

Compatible with wood and coal stoves

Not for drinking water

TK-02
TEA KETTLE STEAMER



Steaming hot water adds humidity in the room

All cast iron construction for years of use

Cool touch chrome spring handle

Three quart capacity

Compatible with wood and coal stoves

Not for drinking water

MH6 HEAT RECLAIMER



Fully automatic operation

Easy installation

Fully sealed from flue gassed

Install 15 to 24 in. away from stove

Not for use with oil and gas furnaces

Compatible with all wood and coal stoves with 6" Flue

CB36 BLOWER FAN



Compatible with all blower equipped or blower optional USSC stoves

100 CFM blower

Genuine USSC parts

All mounting hardware Included

Designed to circulate room air around the firebox to heat the room faster



Premium Hardwood



Sourced from American mills, and hand picked from US Stove Co.

Triple Filtered



Our pellets are all triple filtered to ensure ideal burn and less jams

No Binders or Fillers



Our pellets are made solely through the heat and pressure

Low Moisture



Low moisture content ensures ideal combustion conditions

WOOD FUEL

Heating · Cooking · Smoking Chunks · Kiln Dried Firewood



USHP40 PREMIUM HEATING PELLETS



40 lb bag
100% Natural Hardwood
100% Renewable
Low Ash and Moisture Content
No Additives
No Binders

(7) PFI CERTIFIED

Clean Burning

COMPETITION PREMIUM COOKING PELLETS



20 lb bag

Exceptional flavor and consistent performance
100% Natural Hardwood
No Binders or Fillers
No Additives
Clean Burning

Model Number: USCP20-C

FLAVORED
PREMIUM COOKING PELLETS



20 lb bag
Exceptional flavor and
consistent performance

Available Flavors: Hickory: USCP20-H

Apple: USCP20-AP Mesquite: USCP20-M Bourbon: USCP20-BB Cherry: USCP20-CH

USLC10 PREMIUM SMOKING CHUNKS



10 lb. bag

Hand selected permium hardwoods

Perfect for grilling or smoking

Exceptional aroma and taste

Long-lasting smoke

USBB10 BOURBON SMOKING CHUNKS



10 lb. bag

Authentic bourbon barrel staves

Hand picked

Perfect for grilling or smoking

Exceptional aroma and taste

USFWO-8 KILN DRIED OAK FIREWOOD



8 pack
High quality oak
High heat output
Kiln dried for low moisture



Since 1905, Ashley has provided warmth and comfort to homes across America for generations.

As a company founded on family values, craftsmanship and hard work we are proud to continue these traditions to the next generation of families. The Ashley Hearth brand has been part of the US Stove family for over 20 years.



Scan to download our App!







usstove.com | 1.800.750.2723

©2024 United States Stove Company All Rights Reserved